

Verimi Security



Overview of Security Features of a Cross-Industry Identity Management Platform

Januar 2021
White Paper
Copyright © Verimi

V1.2

Decorative geometric shapes in the bottom right corner, consisting of overlapping triangles in shades of teal and light blue.

Table of Content

Abstract	3
1 Introduction.....	3
2 Features.....	4
2.1 Identity Management	4
2.1.1 User Identification	5
2.1.2 Updating Identity Data	5
2.1.3 Locking and Unlocking Accounts	5
2.2 Log-in via Verimi	5
2.2.1 OpenID Connect	6
2.2.2 Authentication	6
2.3 Qualified Electronic Signatures (QES)	6
2.4 Data Protection.....	7
2.4.1 Users	7
2.4.2 Service Providers	7
3 Technologies.....	8
3.1 Infrastructure/Platform.....	8
3.1.1 Storage/Deletion	8
3.1.2 Communication	9
3.1.3 Access.....	10
OpenID Connect	10
Two-Factor Authentication	10
3.2 Software/Applications	10
3.2.1 Verimi Web Application and Mobile Apps	10
3.2.2 Hardening	11
3.2.3 CQRS - Command Query Responsibility Segregation	11
3.3 Overarching Technical Elements	11
3.3.1 Physical Security	11
3.3.2 PKI – Public Key Infrastructure	11
3.3.3 Encryption	12
Data Encryption	12
Random Number Generators.....	12
3.3.4 Cloud infrastructure	13
3.3.5 Intrusion Detection and Prevention	13
3.3.6 ISMS - Information Security Management System.....	13
4 Organization.....	13
4.1 Structure.....	14
4.1.1 Security Team	14
4.1.2 Reliability Testing.....	14
4.1.3 Security Training	14
4.1.4 Security-related Roles.....	14
Data Protection Officer.....	14
Information Security Officer	14
Compliance Officer.....	15
4.2 Processes	15
4.2.1 Software Quality in the Development Phase	15
4.2.2 Penetration Tests	15
4.2.3 Vulnerabilities Management	16
4.2.4 Procedure for Handling Security Incidents.....	16

4.2.5	Evaluation and Certification	16
	Verimi Apps 16	
	Verimi GmbH and Platform	16
4.2.6	BCM – Business Continuity Management	16
5	Conclusion	17
	Appendix	17

Abstract

Users today leave a digital trail in the digital world. Unlike in the analogue world, this data track remains available and retrievable for an indefinite period of time. The exposure of this user data combined with structurally insecure technological paradigms provides ample opportunity for all kinds of misuse. This is where Verimi kicks in. Verimi offers secure identity management solutions based on secure technological methods, empowering the users and data owners to regain ownership of their own data and data trails. Users, companies and government bodies can be sure that interactions and transactions are being managed securely.

Following a brief introduction this white paper will examine the specific security aspects of Verimi considering available features, technological dimensions and finally, workflow patterns as well as the organizational structure. This paper is also intended as a contribution to the professional discussion of security issues and we expressly welcome constructive feedback – please forward to security@verimi.com.

1 Introduction

Business models in the digital world are largely based on the collection, analysis and use of data that users provide or that can be acquired from users. This enables companies to closely align with user context and needs, i.e., be as specific as possible and targeting added value for users. Although personal data can be collected indirectly for these business models, these do not provide a sufficiently solid foundation for business activities that go beyond core business. It becomes increasingly necessary to draw on personal data to fulfil procedural (B2B2C, end to end) or regulatory prerequisites (anti-money laundering [AML] respectively know your customer [KYC]). But the origin and topic-related nature of this data has to be appropriately proven.

Beside their potential, the processes and technologies employed simultaneously provide opportunities for misuse – one of the drivers of the rise in security incidents witnessed in recent years.¹ Although specialized providers play a leading role in terms of developing exceptionally high security standards, many market players neither have the resources nor the expertise to meet these standards. Furthermore, challenges in terms of user-friendliness of secure processes have yet to be resolved in a satisfactory way – acceptance levels remain stubbornly low despite the good progress made in raising awareness.

The required increase in need as much as appreciation of secure solutions as well as the individually secured use of personal data in the digital space is undisputed. A holistic approach targets the systematic stabilization by ensuring privacy (General Data Protection Regulation - GDPR, ePrivacy), strengthening trust in digital tools (e.g. eIDAS²), and complying with technological (security) standards (German IT Security Act [ITSiG], etc.) Alongside this, efforts should be made to balance interests driven from economic, governmental, and social perspectives.

Verimi comes into play at the intersection of the various solution elements and establishes a platform for the

¹ A more than fivefold increase in global incidents between 2013 and 2017, see [11] and [12].

² Electronic Identification, Authentication and Trust Services.

management of secure electronic identities as a basis for legally compliant and trustworthy Web-based business processes. The objective of Verimi is to handle identity management on behalf of users, companies, and public authorities in a secure and user-friendly manner, fully compliant with data protection legislation. Verimi thus bridges the gap between users on the one hand and application partners (companies and governmental bodies) on the other.

The personal data required for the various services are securely administered within the Verimi platform. Users who wish to use the services of a specific application partner can use Verimi to authenticate themselves securely with the provider concerned. The personal data required to provide the service is securely transmitted to the application partner by Verimi. Three rules, in particular, are adhered to:

- Application partners only receive the identity data required for their service (purpose limitation) which are stored in the Verimi profile of the users
- Users can decide on a case-by-case basis what data is transmitted to application partners (transparency and implementation of the right to informational self-determination)
- Users will be informed about any data transfer and can review the details of that transaction in the Verimi application

The data is solely processed for the purposes outlined above. Verimi neither analyses which users register with which application partners or for what purpose³ nor is this information shared with third parties without prior clear and specific permission by the user. Verimi thus purposefully steps back from personalized data analytics or utilization thereof. Only exception are internal data analytics to analyze in the context of fraud prevention and using fully *anonymized* data to improve customer service and user experience.

2 Features

The core functions of Verimi currently primarily focus on identity management, i.e., the administration of data and authorizations associated with digital identities of users with the help of software solutions, as well as the possibility for users to administer their privacy settings on a case by case level. Additionally, Verimi enables to access the online services of various application partners using a single sign on process, provides payment services and the possibility to digitally sign documents with a Qualified Electronic Signature (QES).

The security measures implemented for these features already provide the basis for the requirements of advanced stages of security and data privacy, e.g., eID, qualified electronic signatures or electronically available features tied to German or European identity documents (ID cards, passports, residence permits).

2.1 Identity Management⁴

Depending on the services accessed by users via Verimi, various identity attributes are required, e.g., last name, first name, address, and date of birth, but also telephone numbers, e-mail addresses and bank details. Users can decide at their own discretion which of their identity attributes they wish to manage via Verimi.

What matters is that the data used in Verimi is verified, that it can be updated in the event of changes and that only the identity owners themselves have full access and make use of their data. Consequently, Verimi's core value proposition is driven by fulfilling highest data and identity security standards, both in terms of

³ Fraud Detection can be used for analysis, and anonymous analyses are performed and evaluated for data to improve the user experience.

⁴ In Europe, eIDAS (electronic Identification, Authentication and Trust Services), which is based on the ISO/IEC 29115 international standard, sets out the regulatory framework for identity management and trust services. There is also further legislation in Germany that regulates identification processes in specific contexts, e.g. the Money Laundering Act (*Geldwäschegesetz*), the Telecommunications Act (*Telekommunikationsgesetz*), the Federal Act on Registration (*Bundesmeldegesetz*), and the Carsharing Act (*Carsharing-Gesetz*).

registration and the updating of this data as well as its authentication.

2.1.1 User Identification

Users can verify their identity at Verimi in several ways:

- Via reading the ID card using eID functionality via NFC
- Using the Video-Ident procedure offered by WebID Solutions GmbH and identity Trust Management AG
- Via application partners with whom the user has already securely registered, e.g., Deutsche Bank
- Via an AI based Ident procedure offered by Veriff
- Via on-site identification, e.g., at the point of sale including scanning and inspection the users ID documents
- Via Account Information Services of financial institutions in Europe according to PSD2

The personal data contained on the user's ID card/residence permit/passport is recorded and then securely stored in Verimi. Other personal data administered by users via Verimi also has to be verified leveraging methods depending on the type of data in question. The telephone numbers of mobile devices, for instance, are verified using a confirmation text message, whereas e-mail addresses are verified using a confirmation e-mail. In the first case, a six-digit code is sent to users via the telephone number provided; this code is then verified within the Verimi platform.

For e-mail verification, a link containing a 16-digit-alphanumeric code is sent by e-mail. Thus, all identity attributes are authentic. By linking the data with appropriate authentication methods, the identity attributes can be used securely to application partners for both identification and authentication purposes.

2.1.2 Updating Identity Data

Users' identity data can change over time, such as the user's last name if they get married, their address if they move or their bank details if they switch banks. The update of identity attributes follows the same process as for initial user registration.

2.1.3 Locking and Unlocking Accounts

Users can lock their Verimi account via the Verimi platform: Users log in to Verimi using one of the authentication methods at their disposal and then proceed to lock their account by themselves.

The account will also be locked if the password for the "username/password" authentication method is entered incorrectly several times. The account will initially be locked for 30 minutes following five incorrect attempts.

In all cases users will be notified via e-mail or text message that their account has been locked.

In order to unlock their Verimi account, users sign in to Verimi using one of their authentication options. Verimi will send a one-time password to the cell phone number or e-mail address provided; this one-time password can be used to unlock the account.

2.2 Log-in via Verimi

Using their Verimi account, users can subscribe to a variety of application partners using cryptographic protocols that meet accredited security standards used in a host of different applications around the world.

Application partners only receive the identity data that they require for their service. In order to provide their services, for instance online retailers receive the identity attributes last name, first name, address, and bank details (and if required information about the user's age).

However, users can decide at any time, what identity data they wish to share with individual application partners.

2.2.1 OpenID Connect

When subscribing application partners via Verimi, users use OpenID Connect as an extension of OAuth2.0 within the authorization code flow. OpenID Connect is a protocol that allows users to sign on with different application partners via the central Verimi service platform, see also [7]. Users start by accessing the website of the application partners concerned, which directs them to Verimi. Here, the users sign on using one of their chosen authentication methods. Please refer to Section 3.1.3 for more technical details on the tokens issued.

2.2.2 Authentication

Before they can sign in with participating application partners, users have to authenticate themselves vis-à-vis Verimi. Several authentication methods are currently in use:

- Username/password: This process constitutes a single-factor authentication method based on the knowledge factor (password).
- Email-Link: Instead of username/password users receive an email with an individual one-time link to their verified email account. After click on the link the user is successfully authenticated with one factor and will be redirected to the application partner website
- Verimi App: This process constitutes of a two-factor authentication method in one step. In this instance, a secret key is stored in a secure area of the smartphone (ownership factor), ready for use in an asymmetric challenge-response process. The secret key can only be used together with an additional factor like knowledge (6 digit PIN) or biometrics (fingerprint or facial recognition). The two factors are analyzed separately, the overall result does not contain information about the results of the single steps.

Which procedure is used depends on the security level required by the application partner and on the user's preferences. Signing up with username/password, for example, can be used to access low-security services. These low-security services might be bank transfers of smaller amounts or orders placed with online retailers. With two-factor authentication, the user could, for example, open bank accounts, transfer larger amounts and take out insurance policies.

The security experts at Verimi work with the application partners concerned to decide which authentication method is suitable for each service.

2.3 Qualified Electronic Signatures (QES)

Users who have verified their identity on the Verimi platform can sign documents digitally and legally effective. The signature service provided by Verimi for this purpose is the Qualified Electronic Signature (QES). The QES is the most secure electronic signature and meets the written form requirement.

For offering this service, Verimi cooperates with various Trusted Service Providers, e.g., Infocert S.p.A., and Namirial S.p.A. which are recognized as European trust service provider for qualified electronic signatures according to eIDAS.⁵

Users agree to the secure transmission of their verified identity data to the Trusted Service Provider and its storage for the creation and usage of the QES certificate. The data transfer must be confirmed via the two-factor-authentication of their Verimi account. Once the identity data has been transmitted, users enter into a contract with the Trusted Service Provider for the issued certificate for QES. This certificate enables them to sign PDFs digitally with Verimi one or multiple times with the same QES certificate.

⁵ See <https://webgate.ec.europa.eu/tl-browser/#/tl/IT/1>

2.4 Data Protection

Verimi takes data protection very seriously. All systems have been developed in accordance with the “privacy by design” principle, see also [6].

2.4.1 Users

Users can decide at any time whom they wish to share each of their identity attributes with and can track which of their identity attributes they have transferred to which application partners – and when. This differentiated approach facilitates a step-wise opt-in process, as stipulated by the rules set by GDPR and ePrivacy. Beyond this, Verimi does not analyze user activity⁶, as already outlined above. All this data, including the identity attributes, is protected by means of user-specific keys (as described in Section 3.3.3).




Fig. 1: Overview of General Data Protection Regulation

2.4.2 Service Providers

Different application partners receive different user identity attributes to enable them to deliver their services. For example, an application partner providing online content for persons aged older than 16/18 in line with the German Youth Protection Act (*Jugendschutzgesetz*) needs to know in a validated and fully reliable way whether users have reached the appropriate age, but does not necessarily require the exact date of birth or other identity data. On the other hand, online retailers shipping their goods to customers require the following identity attributes: Last name, first name, address, and potentially bank details.

Before an application partner can use Verimi as an identity provider, the identity attributes it receives to perform its service(s) are specified. Working in conjunction with the participating application partners, the Verimi Data Protection Officer decides which user identity attributes are absolutely necessary for the application partners to provide their service(s). No other data is transferred to this application partner.

In doing so, Verimi follows the guidelines issued by the German Federal Commissioner for Data Protection and Freedom of Information and also takes advice from data protection officers at state level.

⁶ Fraud detection can be used for analysis, anonymized analyses are performed and evaluated to improve the user experience.

Whenever data is transferred, information about which application partner receives which information for their service(s) is displayed and has to be confirmed by the user. Consequently, users themselves can decide whether they wish to share this information and whether they would like to use the service (opt-in).

3 Technologies

From the beginning all Verimi systems were designed to facilitate secure implementation of the Verimi service (security by design). This not only encompasses the cryptographic processes used but also the technical and infrastructural, software-related and overarching elements which are used to secure the platform and are described in this section. Workflow patterns and structural/organizational elements will be described in chapter 4.

3.1 Infrastructure/Platform

All user data administered by Verimi is protected at all times, whether within the Verimi platform, during transmission or with the application partner. All the cryptographic processes used to protect identity data have been recommended by the German Federal Office for Information Security (BSI) and adhere to the Technical Guidelines [3] and [4] published by the BSI. Furthermore, the cryptographic processes used in Verimi are described in a cryptographic concept devised in accordance with BSI Guidelines (see [5]).




Fig. 2: Overview of Verimi Security Architecture

If, in the future, vulnerabilities arise in the cryptographic processes and methods used, it will be possible to switch to other processes immediately. To ensure this a migration concept exists that facilitates a prompt migration to alternative processes.

3.1.1 Storage/Deletion

Verimi administers the identity attributes transmitted by users during registration. These include last name, first name, date of birth, place of birth, telephone number(s), e-mail address(es) and bank details. Verimi also

generates and stores additional identity attributes: A UUID⁷ in order to unambiguously identify users within Verimi, several eUUIDs⁸ in order to clearly identify users within application partners and, depending on the authentication method used, the user's e-mail address (if using the "username/password" method) or the public key if using two-factor authentication via the Verimi app.

The UUID, the public key, and the encrypted e-mail address establish the "Verimi ID," which is used within the Verimi app.

In addition, all data transfers carried out between users and application partners via Verimi are stored within Verimi as long as the account exists, meaning that users can always track which of their identity attributes they have shared with which application partners, when they did so and for what purpose.

Regarding deletion users can either directly (i.e. immediately) approve the deletion of their account or for the time being just lock it. If the user does not conduct any further activity once the account has been locked, the account will be deleted automatically after six months. During the six-months grace period, the user has the option of reactivating the account and continuing to use Verimi. Further details can be found in [Verimi's Privacy Policy](#).

When the account is deleted, all related data and encryption keys are also deleted; what's more, the user-specific attributes are also deleted irreversibly.

3.1.2 Communication

All communication channels are protected by means of Transport Layer Security (TLS 1.2). These channels are:

- The communication channel between the user and the application partner
- The communication channel between the user and Verimi
- The communication channel between Verimi and the application partner

All data is transferred in encrypted as well as authenticated form. To this end only cipher suites recommended by BSI in [4] are used.

The respectively other party has to authenticate itself during establishment of the TLS connection. The X.509 certificates used between Verimi and application partners were issued by trustworthy certification authorities (CAs). Verimi only accepts certificates from the following CAs:

- GlobalSign, <https://www.globalsign.com>
- thawte, <https://www.thawte.de>
- digicert, <https://www.digicert.com>
- D-Trust, <https://www.d-trust.de>

Users authenticate themselves vis-à-vis Verimi using one of the authentication methods described in Section 2.2.2.

Communication between Verimi GmbH and the Verimi platform takes place via a secure VPN connection.

⁷ UUID stands for "Universally Unique Identifier."

⁸ eUUID stands for "external Universally Unique Identifier." Each service application partner is assigned a specific UUID in order to prevent user behavior being tracked on a cross-service basis via Verimi.

3.1.3 Access

OpenID Connect

Users sign on with application partners using OpenID Connect. Having successfully authenticated the user, Verimi issues two tokens to the application partner, each of which has a singular objective:

- ID tokens contain a unique identifier that enables the application partner to identify users within its system. Each application partner receives another and different identifier in order to prevent tracking.
- Access tokens grant access to the content of the approved data groups. They are valid for 60 seconds and have to be transferred with every read or write request to the Verimi platform.

The token is issued in exchange for the authorization code following reciprocal authentication between the application partner and the Verimi platform (see Section 3.1.2). This code is given to the application partner by the user once the latter has successfully signed in to the Verimi platform. The authorization code is a NONCE⁹ taken from the alphabet {0,..., 9,a,...,z,A,...,Z,-, _} comprised of 16 characters and with a validity period of 60 seconds. This process ensures that application partners can only access users' identity attributes once the user has approved.

ID and access tokens are JSON Web tokens (see [1]) with signed headers and payloads. The signature algorithm ECDSA-SHA384 (curve p-384, see [8]) is used to produce the signature. Alongside the content described above and a time stamp as to when they were created, the particular payloads also include a 16-character NONCE taken from the alphabet {0,..., 9,a,..., z, A,..., Z, -, _}. With the signature, Verimi confirms that the users have authenticated themselves with Verimi and that the identity attributes transmitted are authentic.

All necessary random values (pairs of keys for the signature, random values for generating the signatures, NONCES for the authorization code, ID token and access token) are generated using the random number generator described in Section 3.3.3.

Two-Factor Authentication

Two-Factor authentication (2FA) in the Verimi apps uses the factors of knowledge and ownership or knowledge and existence. In the first case the key (ownership factor) is in the secure area of the user's smartphone, which is accessed by means of a PIN. In the second case access to the PIN is granted by means of fingerprint or face recognition.

3.2 Software/Applications

3.2.1 Verimi Web Application and Mobile Apps

The Verimi platform consists of three core applications, each providing comprehensive functionality:

- The web application, which can be accessed via the Internet and used via any browser
- The native iOS App for optimized user experience on Apple devices
- The native Android App for optimized user experience on devices with an Android operating system

The Apps are being continuously improved. In addition to the testing for possible security vulnerabilities, the security improvements of the respective operating system are also integrated.

⁹ NONCE means "number only used once."

3.2.2 Hardening

The platform's operating system is a Linux derivative with all unnecessary functions deactivated and all security-enhancing features switched on. This includes, first and foremost, the configuration groups file system, software updates and integrity checks. The Verimi Apps for Android and iOS are also hardened with the help of a tool: The Trusted Application Kit (TAK) created by Build38 features among others White Box Crypto in order to obfuscate cryptographic keys and functions, as well as 2-way TLS, secure storage, hook and root detection and device fingerprinting for accessing a smartphone.

3.2.3 CQRS - Command Query Responsibility Segregation

As part of the CQRS architecture the components Command (Writer) and Query (Reader) are separated from each other. This enables an independent writer and query model to be created in order to match the system's specific needs. For example, the fraud detection component can create an entry in the database for each invalid login attempt, while the fraud query component provides an aggregated model with a corresponding view of these invalid login attempts.

Furthermore, the CQRS structure is beneficial for applications where the typical usage pattern between writing and reading is not evenly distributed. CQRS enables more reader instances to be started in read-intensive applications, whilst only triggering one command component at the same time in order to carry the load.

3.3 Overarching Technical Elements

3.3.1 Physical Security

All IT components (servers, databases) required to implement the Verimi service are housed in specifically secured locations. The four-eyes principle is executed by administrators as they access the premises, i.e. two persons must authenticate themselves by means of personalised chip cards and a PIN at the secured access points in order to gain access. Every time the premises are accessed, this is recorded in an audit-proof manner and regularly analyzed by the Verimi security team.

The locations are extensively secured. Furthermore, they are equipped with multi-level alarm systems, so that intrusions can be detected at any time and notification of these can be forwarded to the responsible security team.

In addition, there is a two-zone model. Servers and databases used for the secure operation of Verimi are housed in the Application Zone. Key management services (random number generator, storage of user-defined keys for encrypting identity attributes and ID data) in the Trusted Zone. Access to these IT components is controlled by a 3 factor authentication including a FIPS 140-2 certified Yubikey hardware device. The Trusted Zone is additionally secured by virus scanners, firewalls and intrusion detection/prevention systems and is logged and analyzed separately from the Application Zone.

3.3.2 PKI – Public Key Infrastructure

Network connections on the Verimi platform require strong levels of authentication based on digital certificates. This comprises authentication of the internal communication of services at Verimi, external communication with application partners and access of administrators to the logging and monitoring system. The technical platform is based on the X.509 ITU-T standard for the Public Key Infrastructure (PKI).

The Verimi platform uses a number of different, self-signed, Certificate Authorities. Verimi Root Certificate Authority is used to sign all special purpose sub-CA responding to the needs of Verimi internal tech teams.

3.3.3 Encryption

Data Encryption

Identity attributes and transaction data are encrypted and stored in an authenticated manner (i.e. secured against tampering) in databases along with the Verimi ID. Individual encryption keys are generated for all users. The AES method is used in Cipher Block Chaining mode for encryption and authentication.

For creating new user keys, as well as en- and decrypting user data, a separated service in the Trusted Zone is used. This Trusted Zone can only be accessed (e.g. for starting or configuring the service) by trusted personnel who possess the Master Key. The Trusted Zone contains the System Key which is needed to decrypt the User Encryption Key. Neither the System Key nor the User Encryption Keys can be extracted from the Trusted Zone. Instead a protected API offers the en- and decryption of data for a specific user.




Figure 3: Generating and using cryptographic keys

When users log in to Verimi, the initial step is the determination of the UUID. When it comes to the username/password, the username (e-mail address) is searched for in the database and the UUID thus extracted. Where the two-factor authentication of the Verimi apps is used, the public key is used to determine the UUID.

Based on the UUID, the encrypted data identity attributes required by the application partner for its service are identified and made available to the user; the eUUID is then provided via the ID token and the other attributes once the access token is presented.

The user passwords are not stored in clear text within Verimi, but rather saved together with a random value (a so-called salt) in a hashed form employing the password-hashing function bcrypt.

All encryption keys are AES 256 bit and are safely stored in the Trusted Zone. Access to the Trusted Zone is only possible using a 3-factor authentication, including a FIPS 140-2 certified Yubikey hardware device.

Random Number Generators

The security of the cryptographic methods and protocols used depends to a large extent on the entropy (unpredictability) of the keys and cryptographic parameters used. Verimi uses random number generators which are recommended by official agencies, e.g. Federal Office for Information Security (BSI) and the National Institute of Standards and Technology (NIST) for use in highly sensitive areas.

When it comes to generating the required random values, the deterministic random number generator /dev/urandom from the underlying Linux Random Generator is used.

3.3.4 Cloud infrastructure

Verimi uses the Open Telekom Cloud (OTC), a public cloud based on OpenStack. OTC is classed as an infrastructure-as-a-service (IaaS)-solution that provides access to virtual IT infrastructures via the Internet. Verimi uses the following functions autonomously within the functionality offered by OTC Virtual Data Center:

- Manage Linux servers as
 - ECS (elastic cloud server),
 - Dedicated machine with virtual hypervisor or
- Bare-metal machine with no direct virtualization (Manage network resources)by using components as VPCs, network, subnets, firewalls, security groups and NAT gateways
- Fulfill backups and disaster recovery requirements by using components such as virtual-machine backup, volume backup and object storage
- Oversee datacenter asset changes via Cloud Trace monitoring system

3.3.5 Intrusion Detection and Prevention

Verimi uses various virus scanners and firewalls to protect itself from external attacks. Virus signatures and firewall configurations are regularly updated and adapted according to the current security situation.

Nevertheless, these measures alone are not enough to protect the platform. For instance so-called zero day exploits (vulnerabilities that were previously unknown) are not recognized. In order to be able to respond to new attacks, various intrusion detection and prevention systems have been implemented within the Verimi platform. These can detect attacks by means of identifying anomalies and then initiate appropriate countermeasures.

Furthermore, all activities are recorded, stored and regularly inspected by security experts regarding incidents using established tools regarding anomalies, thereby ensuring an additional manual check of the system's security.

3.3.6 ISMS - Information Security Management System

Verimi's information security management system is certified according to ISO 27001. A data protection management system (DMS) and a compliance management system (CMS) will be implemented in addition to the ISMS.

4 Organization

Besides using technical measures to secure data, organizational and personnel measures aimed at ensuring the secure operation of Verimi must be implemented too.

The security measures required are not only developed and implemented by internal subject matter experts assisted by renowned research institutions, but are also assessed externally in order to determine their completeness and effectiveness, see Appendix A.

Security measures are developed based on tried-and-tested procedural models. This includes implementing the latest security measures as well as activities to ensure business continuity (e.g. crisis management, procedures for security incidents and measures to update in accordance with the current security situation).

4.1 Structure

4.1.1 Security Team

The security team consists of an information security officer and several security experts.

Besides developing organizational, technical, infrastructural and staff security measures, they also implement these measures as well as ensure uninterrupted operations. Not only do all Verimi employees attend regular trainings, they also have to adapt to the current security situation in order to be able to react to any possible security incidents.

Verimi's security is continuously being measured, following the OWASP DevSecOps Maturity Model (DSOMM), and improved, with renowned research institutions supporting its best practice implementations: For example, by a cooperation with the Fraunhofer Institute AISEC and the Identity Management Working Group of the Free University of Berlin during the years 2018-2020.

4.1.2 Reliability Testing

All Verimi employees are thoroughly examined prior to recruitment with regard to their qualifications for the tasks for which they will be responsible. Training and previous employment are checked based on training certificates and employer testimonials. Furthermore, all prospective employees must submit a clearance certificate issued by the police.

4.1.3 Security Training

Verimi regularly conducts security training to raise awareness of IT security and data protection. Training is not only mandatory for Verimi's technical staff (for example, system administrators and developers) but for the administrative staff as well. And it is adapted for the specific requirements of the respective staff group. It covers all relevant aspects of IT security and data protection, from current threats to specific attack patterns (including social engineering) and the consequences of successful attacks, as well as risk mitigation methods.

Furthermore, as part of the Verimi Days, renowned researchers are invited to present their current research topics and discuss their results. Gaining an insight into innovative technologies enables Verimi to continually improve its security.

4.1.4 Security-related Roles

Data Protection Officer

In accordance with the European Commission's new General Data Protection Regulation, Verimi has appointed a data protection officer. The data protection officer is not only supported by a team of qualified employees, but also by renowned scientific institutions. Regarding data security, the data protection team works closely with the Verimi security team.

Information Security Officer

Verimi has appointed an Information Security Officer (ISO), whose main responsibilities include:

- Aligning information security targets with board of management
- Coordinating and planning information security together with the Information Security Team (IST)
- Developing and maintaining guidelines and regulations regarding information security in the company
- Advising the board of management on information security issues

- Documenting information security measures
- Training employees in information security
- Planning and developing incident management and preemptive crisis management (including an emergency plan and handbook)

Compliance Officer

Verimi has appointed a Compliance Officer (CO). The CO has the task of implementing Verimi compliance regulations in the corporate structure and business processes by setting up a compliance management system. With the knowledge of the company structure as well as the operational processes and products, they identify company-specific risks in terms of legal breaches are identified as part of a systematic risk analysis process.

4.2 Processes

4.2.1 Software Quality in the Development Phase


When developing software used for implementing the Verimi service, focus is placed on the quality of the software in order to minimize security vulnerabilities resulting from software errors. The software must undergo several quality assurance tests before being used in the existing system.

One focus is on preventing known attacks such as the OWASP top compilations.

4.2.2 Penetration Tests

As exhaustive tests and clear specifications cannot completely rule out errors, penetration tests are carried out regularly in order to be able to identify and correct security gaps at an early stage.

An established model is used to control penetration tests, which are based on analyzing the degree of risk (based on probability and extent of the technical and business-related impact). Both internal and external resources are used to carry out penetration tests.



Quelle: OWASP 2018

Fig. 4: Risk assessment model for attack vectors, see [10]

4.2.3 Vulnerabilities Management

Software can contain errors. Some of these errors may also lead to security vulnerabilities. The same applies for all security measures implemented, be they staff-related, organizational, technical or infrastructural. Despite evaluating these security measures, there may be security vulnerabilities that prevail that were not identified as a result of this process.

The security team therefore regularly reviews the effectiveness of the measures implemented, which involves simulating their own attacks (hacking, but also phishing attacks etc.), thereby testing the effectiveness of security measures and training.

4.2.4 Procedure for Handling Security Incidents

Should there be security vulnerabilities, e.g., ones identified by the team or those arising from actual attacks, the security team will have dry-run possible attack scenarios and prepared appropriate countermeasures. These can range from short-term shutdown of security-critical services to shutting down the entire platform until security is restored.

Furthermore, the current security situation is regularly monitored, too. Other sources, e.g. the Computer Emergency Response Team of the German Federal Office for Information Security or Common Vulnerabilities and Exposures (CVE®), provide information on current security breaches and attacks in order to enable initiation of appropriate countermeasures.

4.2.5 Evaluation and Certification

All Verimi infrastructure components are evaluated and certified according to known models of procedure. This process checks whether security measures have been implemented appropriately for all security risks, as well as how effective these measures are (i.e. whether they adequately mitigate risks). The scope does not only include the current state of implementation, but also whether Verimi is enabled to react appropriately to security incidents and current developments upon attack.

Verimi Apps

Verimi Apps are software for smartphones that users can use to securely authenticate themselves by means of a username/password or with a two-factor authentication using Verimi (and thus via OpenID Connect in the case of application partners, see section 2.2.1).

Verimi GmbH and Platform

Verimi's information security management system is certified according to ISO 27001. This certification is regularly renewed. The ISMS comprises the entire Verimi platform incl. applications, Apps and infrastructure as well as the inhouse IT, processes and the entire Verimi organization.

4.2.6 BCM – Business Continuity Management

Business Continuity Management (BCM) protects Verimi from serious damage or existential threats in the case of an emergency. This also applies to external application partners via Verimi. It describes specifications in terms of content, staff and organization and procedures for crisis management aimed at:

- ensuring the continuation of time-critical activities and processes in the event of an emergency
- avoiding damage wherever possible by implementing appropriate measures
- reducing the impact of damage incurred
- supporting a quick and orderly recovery of normal operation

The Crisis Management Officer for Verimi is appointed, and the definition of the terms as well as the processes based on the principle of "plan-do-check-act" defined. The emergency manual describes the strategies in the event of a crisis while taking into account defined emergency scenarios and their criticality. Specifications and details are described in the Business Continuity Management guideline.

5 Conclusion

Security in the digital world is currently one of the most urgent topics. Verimi addresses this topic in three ways:

- As a service, Verimi provides a secure identity management platform that allows users to securely manage their digital identity and provides service partners with secure digital identities
- With regard to the internal construction of production, Verimi relies on safe technologies and current best practices in-line with continuous development and improvements
- Finally, in terms of the social dimension, Verimi can act as an emancipation tool, handing back to users sovereignty and control over their personal data

It is of paramount importance to discuss these dimensions. Since the dimensions are characterized by a significant dynamic force, both individually and overall, it is not only permanent adaptations to the technological level that are important, but also aspects of functionality and social development. The debate must be conducted from an economic, political, civil and technological point of view – while reconciling the interests of these groups.

Appendix

A. Support

Verimi is continuously being developed and tested in terms of its security. Two research institutions are providing support in this regard: The Identity Management Working Group at the Freie Universität Berlin, headed by Prof. Marian Margraf, and the Fraunhofer Institute for Applied and Integrated Security (AISEC), headed by Prof. Claudia Eckert, during the years 2018-2020. Furthermore, COREngineering has acted as a development partner for the development and operationalization of the security functions.

B. References

- [1] T. Bray: The JavaScript Object Notation (JSON) Data Interchange Format, Request for Comments (RFC): 7159.
- [2] BSI: IT-Grundschutzkataloge, Bundesamt für Sicherheit in der Informationstechnik.
- [3] BSI: TR 02102-1, Kryptographische Verfahren: Empfehlungen und Schlüssellängen, Version 2019-01, 22. Februar 2019, Bundesamt für Sicherheit in der Informationstechnik.
- [4] BSI: TR 02102-2, Kryptographische Verfahren: Empfehlungen und Schlüssellängen, Teil 2 – Verwendung von Transport Layer Security (TLS), Version 201-01, Bundesamt für Sicherheit in der Informationstechnik.
- [5] BSI: Leitfaden, Erstellung von Kryptokonzepten, Version 1.0, 2008, Bundesamt für Sicherheit in der Informationstechnik.
- [6] A. Cavoukian: Privacy by Design: The 7 Foundational Principles, <https://www.ipc.on.ca/wp-content/uploads/Resources/7foundationalprinciples.pdf>.

- [7] D. Hardt: The OAuth 2.0 Authorization Framework, Internet Engineering Task Force (IETF), Request for Comments (RFC): 6749.
- [8] NIST: Recommendation for Random Number Generation Using Deterministic Random Bit Generators, Special Publication 800-90A, National Institute of Standards and Technology, Technology Administration, U.S. Department of Commerce, 01/2012.
- [9] FIPS: Digital Signature Standard (DSS), Federal Information Processing Standards Publication 186-4, 2013.
- [10] Online Trust Alliance: Cyber Incident & Breach Trends Report, Review and analysis of 2017 cyber incidents, trends and key issues to address, 01/2018.
- [11] PwC: The Global State of Information Security Survey, 2016.
- [12] Open Web Application Security Project (OWASP): The Ten Most Critical Web Application Security Risks, 2017

Verimi GmbH
Oranienstraße 91
10969 Berlin, Germany
<https://www.verimi.com>
Phone: +49 30 20689 112
security@verimi.com

